


- GENERAL NOTES FOR WATER POLLUTION CONTROL**
1. ALL WATER POLLUTION CONTROL DEVICES SHOWN ON P-3 SERIES STANDARD DRAWINGS SHALL BE USED IN CONJUNCTION WITH THE ITD CATALOG OF STORM WATER BEST MANAGEMENT PRACTICES (BMP'S).
  2. SITE DIMENSIONS, PLACEMENT, AND PAYMENT FOR WATER POLLUTION CONTROL DEVICES SHALL BE AS SET FORTH IN THE PLANS AND SPECIAL PROVISIONS.
  3. THE NEED OF WATER POLLUTION CONTROL DEVICES SHALL BE DETERMINED BY SITE DESIGN. MODIFICATIONS TO THOSE INSTALLATIONS SHALL BE APPROVED BY THE ENGINEER.
  4. WATER POLLUTION CONTROL DEVICES ARE INTENDED TO FUNCTION AS LONG AS THE NEED EXISTS.

- NOTES**
1. SEE THE GENERAL NOTES FOR WATER POLLUTION CONTROL.
  2. MAINTENANCE AND REPLACEMENT OF THE EQUIPMENT WASHDOWN SHALL BE AS NEEDED AND AS GENERAL NOTE NO. 4 REQUIRES.
  3. CONSULT THE MATERIALS SECTION FOR IMPERVIOUS MEMBRANE SPECIFICATIONS PRIOR TO INSTALLATION ON THE EQUIPMENT WASHDOWN.
  4. THE ON-SITE TREATMENT FOR EFFLUENT DISCHARGED THROUGH THE EQUIPMENT WASHDOWN SHALL BE DIRECTED TO A SEDIMENT BASIN THEN TO A DIGESTION POND.
  5. OFF-SITE TREATMENT OF THE EQUIPMENT WASHDOWN EFFLUENT MUST MEET THE REQUIREMENTS OF THE WASTE WATER TREATMENT FACILITY.
  6. NOT TO SCALE.



| REVISIONS |      |    |     |      |    |     |      |
|-----------|------|----|-----|------|----|-----|------|
| NO.       | DATE | BY | NO. | DATE | BY | NO. | DATE |
|           |      |    |     |      |    |     |      |
|           |      |    |     |      |    |     |      |
|           |      |    |     |      |    |     |      |
|           |      |    |     |      |    |     |      |

CADD FILE NO.  
p3e\_1295.std  
DRAWING DATE:  
DECEMBER, 1995

IDAHO  
TRANSPORTATION  
DEPARTMENT  
BOISE, IDAHO

IDAHO  
TRANSPORTATION  
DEPARTMENT  
Marty J. Zuck  
CHIEF OF HIGHWAY OPERATIONS  
Jing D. [Signature]  
CHIEF ENGINEER

STANDARD DRAWING  
**WATER POLLUTION CONTROL  
EQUIPMENT WASHDOWN**

FORM CATALOG NUMBER  
STANDARD DRAWING NO.  
**P-3-E**  
SHEET 1 OF 1